



ADHD in Adults

Recognizing the Signs and Symptoms of Adult ADHD and What You Can Do About It



Life can be a balancing act for any adult, but if you find yourself constantly late, disorganized, forgetful, and overwhelmed by your responsibilities, you may have ADHD or ADD. Attention deficit disorder affects many adults, and its wide variety of frustrating symptoms can hinder everything from your relationships to your career. But help is available—and learning about ADHD is the first step. Once you understand the challenges, you can learn to compensate for areas of weakness and start taking advantage of your strengths.

Understanding ADHD (or ADD) in adults

Attention deficit hyperactivity disorder (ADHD)—previously known as ADD—is not just a problem in children. If you were diagnosed with childhood ADHD or ADD, chances are, you’ve carried at least some of the symptoms into adulthood. But even if you were never diagnosed with ADHD as a child, that doesn’t mean you can’t be affected by it as an adult.

ADHD: It’s not just for kids

ADHD often goes unrecognized throughout childhood. This was especially common in the past, when very few people were aware of ADHD or ADD. Instead of recognizing your symptoms and identifying the real issue, your family, teachers, or other parents may have labeled you a dreamer, a goof-off, a slacker, a troublemaker, or just a bad student.

Alternately, you may have been able to compensate for the symptoms of ADHD when you were young, only to run into problems as your responsibilities increase. The more balls you're trying to keep in the air—pursuing a career, raising a family, running a household—the greater the demand on your abilities to organize, focus, and remain calm. This can be challenging for anyone, but if you have ADHD, it can feel downright impossible.

The good news is that, no matter how it feels, the challenges of attention deficit disorder *are* beatable. With education, support, and a little creativity, you can learn to manage the symptoms of adult ADHD—even turning some of your weaknesses into strengths. It's never too late to turn the difficulties of adult ADHD around and start succeeding on your own terms.

Myths & Facts about Attention Deficit Disorder in Adults

Myth: ADHD is just a lack of willpower. People with ADHD focus well on things that interest them; they could focus on any other tasks if they really wanted to.

Fact: ADHD looks very much like a willpower problem, but it isn't. It's essentially a chemical problem in the management systems of the brain.

Myth: Kids with ADHD can never pay attention.

Fact: Children with ADHD are often able to concentrate on activities they enjoy. But no matter how hard they try, they have trouble maintaining focus when the task at hand is boring or repetitive.

Myth: Everybody has the symptoms of ADHD, and anyone with adequate intelligence can overcome these difficulties.

Fact: ADHD affects people of all levels of intelligence. And although everyone sometimes has symptoms of ADHD, only those with chronic impairments from these symptoms warrant an ADHD diagnosis.

Myth: Someone can't have ADHD and also have depression, anxiety, or other psychiatric problems.

Fact: A person with ADHD is six times more likely to have another psychiatric or learning disorder than most other people. ADHD usually overlaps with other disorders.

Myths & Facts about Attention Deficit Disorder in Adults

Myth: Unless you have been diagnosed with ADHD or ADD as a child, you can't have it as an adult.

Fact: Many adults struggle all their lives with unrecognized ADHD symptoms. They haven't received help because they assumed that their chronic difficulties, like depression or anxiety, were caused by other impairments that did not respond to usual treatment.

Source: *Dr. Thomas E. Brown, Attention Deficit Disorder: The Unfocused Mind in Children and Adults*

Signs and symptoms of ADHD in adults

In adults, attention deficit disorder often looks quite different than it does in children—and its symptoms are unique for each individual.

The following categories highlight common symptoms of adult ADHD. Do your best to identify the areas where you experience difficulty. Once you pinpoint your most problematic symptoms, you can start to work on strategies for dealing with them.

Trouble concentrating and staying focused

Adults with ADHD often have difficulty staying focused and attending to daily, mundane tasks. For example, you may be easily distracted by irrelevant sights and sounds, quickly bounce from one activity to another, or become bored quickly. Symptoms in this category are sometimes overlooked because they are less outwardly disruptive than the ADHD symptoms of hyperactivity and impulsivity—but they can be every bit as troublesome.

The symptoms of inattention and concentration difficulties include:

Being easily distracted by things such as noises, activity, or other external events that others tend to ignore.

Difficulty paying attention or focusing, such as when reading or listening to others.

"Zoning out" without realizing it, even in the middle of a conversation.

Struggling to complete tasks, even ones that seem simple. A tendency to overlook details, leading to errors or incomplete work.

Poor listening skills, for example, having a hard time remembering conversations and following directions.

Hyperfocus: the other side of the coin

While you're probably aware that people with ADHD have trouble focusing on tasks that aren't interesting to them, you may not know that there's another side: a tendency to become absorbed in tasks that are stimulating and rewarding. This paradoxical symptom is called hyperfocus.

Hyperfocus is actually a coping mechanism for distraction—a way of tuning out the chaos. It can be so strong that you become oblivious to everything going on around you. For example, you may be so engrossed in a book, a TV show, or your computer that you completely lose track of time and neglect the things you're supposed to be doing. Hyperfocus can be an asset when channeled into productive activities, but it can also lead to work and relationship problems if left unchecked.

Disorganization and forgetfulness

When you have adult ADHD, life often seems chaotic and out of control. Staying organized and on top of things can be extremely challenging—as is sorting out what information is relevant for the task at hand, prioritizing the things you need to do, keeping track of tasks and responsibilities, and managing your time. Common symptoms of disorganization and forgetfulness include:

- ▶ Poor organizational skills (home, office, desk, or car is extremely messy and cluttered)
- ▶ Tendency to procrastinate
- ▶ Trouble starting and finishing projects
- ▶ Chronic lateness
- ▶ Frequently forgetting appointments, commitments, deadlines
- ▶ Constantly losing or misplacing things (keys, wallet, phone, documents, bills.
- ▶ Underestimating the time it will take you to complete tasks.

Impulsivity

If you suffer from symptoms in this category, you may have trouble inhibiting your behaviors, comments, and responses. You might act before thinking, or react without considering consequences. You may find yourself interrupting others, blurting out comments, and rushing through tasks without reading instructions. If you have impulse problems, being patient is extremely difficult. For better or for worse, you may go headlong into situations and find yourself in potentially risky circumstances. Symptoms include:

- ▶ Frequently interrupt others or talk over them
- ▶ Poor self-control, addictive tendencies
- ▶ Blurting out thoughts that are rude or inappropriate without thinking
- ▶ Acting recklessly or spontaneously without regard for consequences
- ▶ Trouble behaving in socially appropriate ways (such as sitting still during a long meeting)

Emotional difficulties

Many adults with ADHD have a hard time managing their feelings, especially when it comes to emotions like anger or frustration. Common emotional symptoms of adult ADHD include:

- ▶ Easily flustered and stressed out
- ▶ Irritability or short, often explosive, temper
- ▶ Low self-esteem and sense of insecurity or underachievement
- ▶ Trouble staying motivated
- ▶ Hypersensitivity to criticism

Hyperactivity or restlessness

Hyperactivity in adults with ADHD can look the same as it does in kids. You may be highly energetic and perpetually “on the go” as if driven by a motor. For many people with ADHD, however, the symptoms of hyperactivity become more subtle and internal as they grow older. Common symptoms of hyperactivity in adults include:

- ▶ Feelings of inner restlessness, agitation, racing thoughts
- ▶ Getting bored easily, craving for excitement, tendency to take risks
- ▶ Talking excessively, doing a million things at once

- ▶ Trouble sitting still, constant fidgeting

You don't have to be hyperactive to have ADHD

Adults with ADHD are much less likely to be hyperactive than their younger counterparts. Only a small slice of adults with ADHD, in fact, suffer from prominent symptoms of hyperactivity. Remember that names can be deceiving and you may very well have ADHD if you have one or more of the symptoms above—even if you lack hyperactivity.

Effects of adult ADHD

If you are just discovering you have adult ADHD, chances are you've suffered over the years for the unrecognized problem. People may have labeled you "lazy" or "stupid" because of your forgetfulness or difficulty completing tasks, and you may have begun to think of yourself in these negative terms as well.

Untreated ADHD has wide-reaching effects

ADHD that is undiagnosed and untreated can cause problems in virtually every area of your life.

Physical and mental health problems. The symptoms of ADHD can contribute to a variety of health problems, including compulsive eating, substance abuse, anxiety, chronic stress and tension, and low self-esteem. You may also run into trouble due to neglecting important check-ups, skipping doctor appointments, ignoring medical instructions, and forgetting to take vital medications.

Work and financial difficulties. Adults with ADHD often experience career difficulties and feel a strong sense of underachievement. You may have trouble keeping a job, following corporate rules, meeting deadlines, and sticking to a 9-to-5 routine. Managing finances may also be a problem: you may struggle with unpaid bills, lost paperwork, late fees, or debt due to impulsive spending.

Relationship problems. The symptoms of ADHD can put a strain on your work, love, and family relationships. You may be fed up with constant nagging from loved ones to tidy up, listen more closely, or get organized. Those close to you, on the other hand, may feel hurt and resentful over your perceived "irresponsibility" or "insensitivity."

The wide-reaching effects of ADHD can lead to embarrassment, frustration, hopelessness, disappointment, and loss of confidence. You may feel like you'll never be able to get your life under control. That's why a diagnosis of adult ADHD can be an enormous source of relief and hope. It helps you understand what you're up against for the first time and realize that you're not to blame. The difficulties you've had are symptoms of attention deficit disorder—not the result of personal weakness or a character flaw.

Adult ADHD doesn't have to hold you back

When you have ADHD, it's easy to end up thinking that there's something wrong with you. But it's okay to be different. ADHD isn't an indicator of intelligence or capability. Certain things may be more difficult for you, but that doesn't mean you can't find your niche and achieve success. The key is to find out what your strengths are and capitalize on them.

It can be helpful to think about attention deficit disorder as a collection of traits that are both positive and negative—just like any other set of qualities you might possess. Along with the impulsivity and disorganization of ADHD, for example, often come incredible creativity, passion, energy, out-of-the-box thinking, and a constant flow of original ideas. Figure out what you're good at and set up your environment to support those strengths.

Self-help for adult ADHD

Armed with an understanding of ADHD's challenges and the help of structured strategies, you can make real changes in your life. Many adults with attention deficit disorder have found meaningful ways to manage their symptoms, take advantage of their gifts, and lead productive and satisfying lives. You don't necessarily need outside intervention—at least not right away. There is a lot you can do to help yourself and get your symptoms under control.

Exercise and eat right. Exercise vigorously and regularly—it helps work off excess energy and aggression in a positive way and soothes and calms the body. Eat a wide variety of healthy foods and limit sugary foods in order to even out mood swings.

Get plenty of sleep. When you're tired, it's even more difficult to focus, manage stress, stay productive, and keep on top of your responsibilities. Support yourself by getting between 7-9 hours of sleep every night.

Practice better time management. Set deadlines for everything, even for seemingly small tasks. Use timers and alarms to stay on track. Take breaks at regular intervals. Avoid piles of paperwork or procrastination by dealing with each item as it comes in. Prioritize time-sensitive tasks and write down every assignment, message, or important thought.

Work on your relationships. Schedule activities with friends and keep your engagements. Be vigilant in conversation: listen when others are speaking and try not to speak too quickly yourself. Cultivate relationships with people who are sympathetic and understanding of your struggles with ADHD.

Create a supportive work environment. Make frequent use of lists, color-coding, reminders, notes-to-self, rituals, and files. If possible, choose work that motivates and interests you. Notice how and when you work best and apply these conditions to your working environment as best you can. It can help to team up with less creative, more organized people—a partnership that can be mutually beneficial.

When to seek outside help for adult ADHD

If the symptoms of ADHD are still getting in the way of your life, despite self-help efforts to manage them, it may be time to seek outside support. Adults with ADHD can benefit from a number of treatments, including behavioral coaching, individual therapy, self-help groups, vocational counseling, educational assistance, and medication.

Treatment for adults with attention deficit disorder, like treatment for kids, should involve a team of professionals, along with the person's family members and spouse.

Professionals trained in ADHD can help you:

1. control impulsive behaviors
2. manage your time and money
3. get and stay organized
4. boost productivity at home and work
5. manage stress and anger
6. communicate more clearly

Related articles



(/articles/add-adhd/managing-adult-adhd-attention-deficit-disorder.htm)

[Tips for Managing Adult ADHD or ADD:](/articles/add-adhd/managing-adult-adhd-attention-deficit-disorder.htm) (/articles/add-adhd/managing-adult-adhd-attention-deficit-disorder.htm) Deal with ADHD Symptoms and Become More Focused and Organized



(/articles/add-adhd/adult-adhd-attention-deficit-disorder-and-relationships.htm)

[Adult ADHD and Relationships:](/articles/add-adhd/adult-adhd-attention-deficit-disorder-and-relationships.htm) (/articles/add-adhd/adult-adhd-attention-deficit-disorder-and-relationships.htm) Dealing with Symptoms Together and Overcoming Relationship Challenges



(/articles/add-adhd/treatment-for-adult-adhd-attention-deficit-disorder.htm)

[Treatment for Adult ADHD:](/articles/add-adhd/treatment-for-adult-adhd-attention-deficit-disorder.htm) (/articles/add-adhd/treatment-for-adult-adhd-attention-deficit-disorder.htm) A Guide to Finding Treatments That Work



(/articles/add-adhd/medication-for-attention-deficit-disorder-adhd.htm)

ADHD Medications: (/articles/add-adhd/medication-for-attention-deficit-disorder-adhd.htm)
Are ADHD Drugs Right for You or Your Child?

***Authors: Melinda Smith, M.A. and Robert Segal, M.A. Last updated:
October 2017.***

HelpGuide.org REPRINT

©Helpguide.org. All rights reserved. The content of this reprint is for informational purposes only and NOT a substitute for professional advice, diagnosis, or treatment.

Visit <https://www.helpguide.org/> for the complete article which includes references, related articles and active links.